



Cangzhou Longtaidi Pipe Technology Co., Ltd.

Headquarter: Factory: No.33 Huanghe East Road, Economic Development Zone, Cangzhou, China Telephone: +86-317-2035788 • Fax +86-317-2035788

Mail: Pipes2018@163.com

Beijing Office: RM1703, NO.3 Building, 317 Datun Road, Chaoyang District Beijing, China

Iranian Office:

6th Floor, No.6 Taban Sharghi Alley, Alborz St., (P.C.:1918813753) Mirdamad Ave. (Under the Bridge), Tehran, Iran Dubai Branch: Longtic International Trading FZE Add: No.1910 Icon Tower Two, Jumeirah Lakes Tower, Dubai. U.A.E USA Branch: Lontide America LLC PO BOX 941785 Houston,TX 77094, USA

www.ltdpipeline.com

Cangzhou Longtaidi Pipe Technology Co., Ltd

Mechanical Lined Pipe

Induction Pipe Bends

Clad Pipes and Clad Pipe Fittings

Pipe

Pipe Fittings (Large Diameter)




Weld Overlay Cladding

Weld Overlay is process governed by API 5LD. Weld Cladding provides comparable wear and corrosion resistance at a fraction of the cost of solid alloy solutions. Our weld overlay utilizes multiple layers of nickel alloy on a carbon steel backing. This is accomplished with minimal diffusion of the substrate.

The finished material will greatly increase service life compared to carbon solutions. In addition to pipes and tubes, the technology can be applied to virtually any fitting or piece required for fluid transportation, proving especially useful in sour oil field service. It can be used anywhere increased corrosion and wear resistance properties are required.

Our Advantage

- Leading edge technology We use the modern European manufacturing and inspection equipment. All pieces are 100% inspected in accord with API, ASME, NACE and customer requirements.
- Extensive customer experience We have many satisfied customers and are happy to provide references upon request.
- Competitive pricing We offer the finest quality at value pricing.





Clad Pipe

Backing pipe OD: NPS6"~NPS28" Cladding Material: LC 1812, 2205, UNS S317030, S31803, S30400, S30403, S31600, S31603, S32100, N08904, N08825, N06600, N04400

Clad Pipe fittings

Elbow, tee, reducer, cap, flange, stub end etc. Backing pipe fittings dimension OD: NPS6"~NPS28"

Cladding material used but not limited to: Inconel Alloy 625, Duplex, Incoloy Alloy 825, Super Duplex, Inconel Alloy C-276, 300 Series Stainless, Monel Alloy 400, Steel Aluminum Bronze







